



DORSA
HOME APPLIANCES

Value Your Life With **Dorsa**



2022-2023

WWW.DORSA-GROUP.COM



Dorsa Founded on 2001



Under the brand Dorsa Home Appliances, Padideh Donya-ye Modern Company started manufacturing range hoods, gas hobs, kitchen sinks, and built-in ovens in 2001. Dorsa products are manufactured using modern technologies in a factory with a shop floor of 30,000 m2. Dorsa is committed to offering products and after-sales services with highest quality and in total harmony with target markets. Responding to every need of customers constitutes Dorsa's main policy. Fully understanding modern international requirements in quality management and trying hard to offer top-quality products and services, Dorsa Home Appliances has enforced customer the satisfaction monitoring and measurement standard ISO10004:2018, customer complaint management standard ISO10002:2018, and the quality management standard ISO9001:2015 in order to earn the trust of its customers and respond to their complaints effectively. Dorsa is constantly improving these standards in order to streamline this system and harmonize it with legal requirements and other integrated management obligations. With a vast scope of after-sales services spanning all provincial capitals in Iran, Dorsa offers services to its customers in the shortest possible time; Dorsa Tech Support perfectly installs and repairs products within and outside of the warrant period in all major Iranian cities.





Range

Hood



DH1407-80



- Body color coating : Electrostatic Coating
- Motor: 4 speed turbo motor
- Control Type: Mechanical
- Airflow power: 680 m³/h

- Sound rating : 55-60 db
- Lamp Type: SMD (220V/1W)
- Duct diameter : 150 mm
- Magnetic door lock

- Wide input range power supply
- Washable aluminum filter

DH1402-70



- Body color coating : Black-steel
- Motor: 4 speed turbo motor
- Control Type: Digital touch screen
- Airflow power: 680 m³/h
- Sound rating : 60 db

- Lamp Type: SMD (12V/1W)
- Duct diameter : 150 mm
- Timer Equipped switch Panel
- Remote control
- Magnetic door lock

- Ambient temperature display
- Washable aluminum filter
- Wide input range power supply

DH1404-70



- Body color coating : Electrostatic Coating
- Motor: 4 speed metal motor
- Control Type: Mechanical
- Airflow power: 420 m³/h
- Sound rating : 64 db
- Lamp Type: SMD (220V/1W)
- Duct diameter : 120 mm
- Washable aluminum filter
- Wide input range power supply

DH1410-80



- Body color coating : Electrostatic Coating
- Motor: 4 speed metal turbo motor
- Control Type: touchless motion control operation
- Airflow power: 680 m³/h
- Sound rating : 60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter : 120 mm
- Remote control
- Timer Equipped switch Panel
- Gas Spring
- Ambient temperature display
- Magnetic door lock
- Automatic temperature sensor
- Washable aluminum filter
- Wide input range power supply

DH1409-80



- Body color coating : Electrostatic Coating
- Motor: 4 speed metal turbo motor
- Control Type: Digital touch screen
- Airflow power: 680 m³/h
- Sound rating : 60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter : 120 mm
- Remote control
- Timer Equipped switch Panel
- Electric jack
- Ambient temperature display
- Automatic temperature sensor
- Automatic odor sensor
- Washable aluminum filter
- Wide input range power supply

DH1406-80



- Body color coating : Electrostatic Coating
- Control Type: Digital touch screen
- Airflow power: 680 m³/h
- Sound rating : 60 db
- Lamp Type: SMD (12V/1W)
- Remote control
- Duct diameter : 120 mm
- Motor: 4 speed turbo metal motor
- Magnetic door lock
- Wide input range power supply
- Washable aluminum filter

DH1408-70



- Body color coating : Electrostatic Coating
- Motor: 4 speed metal turbo motor
- Control Type: Digital touch screen
- Airflow power: 680 m³/h
- Sound rating : 60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter : 120 mm
- Remote control
- Magnetic door lock
- Wide input range power supply
- Washable aluminum filter

DH1403-70



- Body color coating: Electrostatic Coating
- Motor: 4 speed metal motor
- Control Type: Digital touch screen
- Airflow power: 420 m³/h
- Sound rating : 64 db
- Lamp Type: SMD (12V/1W)
- Duct diameter : 120 mm
- Remote control
- Wide input range power supply
- Washable aluminum filter

DH1401-70



- Body color coating : Black-steel
- Motor: 4 speed turbo motor
- Control Type: Mechanical
- Airflow power: 680 m³/h
- Sound rating : 60 db

- Lamp Type: SMD (220V/1W)
- Duct diameter : 150 mm
- Wide input range power supply
- Washable aluminum filter

DH1411-80



- Body color coating: Electrostatic Coating
- Motor: 4 speed turbo metal motor
- Control Type: Digital touch screen
- Airflow power: 680 m³/h
- Sound rating : 60 db
- Washable aluminum filter
- Lamp Type: SMD (12V/1W)
- Duct diameter : 120 mm
- Gas Spring
- Remote control
- Magnetic door lock
- Wide input range power supply
- Timer Equipped switch Panel

DH1405-80



- Body color coating: Electrostatic Coating
- Motor: 4 speed turbo metal motor
- Control Type: Digital touch screen
- Airflow power: 680 m³/h
- Sound rating : 60 db
- Washable aluminum filter

- Lamp Type: SMD (12V/1W)
- Duct diameter : 120 mm
- Gas Spring
- Remote control
- Magnetic door lock
- Wide input range power supply



DORSA

DH1310-90



- Body color coating: Electrostatic Coating
- Motor: 4 speed metal turbo motor
- Control Type: Digital touch screen
- Airflow power: 700 m³/h
- Sound rating : 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter : 150 mm
- Gas Spring
- Timer Equipped switch Panel
- Remote control
- Magnetic door lock
- Ambient temperature display
- Washable aluminum filter
- Wide input range power supply

DH1309-90



- Body color coating: Electrostatic Coating
- Motor: 4 speed motor
- Control Type: Mechanical
- Airflow power: 480 m³/h
- Sound rating : 65 db
- Lamp Type: SMD (220V/1W)
- Duct diameter : 150 mm
- Gas Spring
- Magnetic door lock
- Washable aluminum filter
- Wide input range power supply

DH1301-90



- Body color coating: Electrostatic Coating
- Motor: 4 speed turbo motor
- Control Type: Digital touch screen
- Airflow power: 700 m³/h
- Sound rating : 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter : 150 mm
- Gas Spring
- Remote control
- Timer Equipped switch Panel
- Magnetic door lock
- Ambient temperature display
- Automatic temperature sensor
- Washable aluminum filter
- Wide input range power supply

DH1304-90



- Body color coating: Electrostatic Coating
- Motor: 4 speed turbo motor
- Control Type: Digital touch screen
- Airflow power: 700 m³/h
- Sound rating : 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter : 150 mm
- Gas Spring
- Remote control
- Timer Equipped switch Panel
- Magnetic door lock
- Ambient temperature display
- Washable aluminum filter
- Wide input range power supply

DH1302-90-80



DH1302-60



- Body color coating :
Electrostatic Coating
- Motor: 4 speed turbo motor
- Timer Equipped switch Panel
- Control Type:
Digital touch screen

- Sound rating : 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter : 150 mm
- Airflow power: 700 m³/h
- Remote control

- Magnetic door lock
- Ambient temperature display
- Automatic temperature sensor
- Washable aluminum filter
- Gas Spring

- Wide input range power supply

 An ideal fit for your kitchen 

DH1303-90



DH1303-60



- Body color coating :
Electrostatic Coating
- Motor: 4 speed turbo motor
- Timer Equipped switch Panel
- Control Type:
Digital touch screen

- Sound rating : 55-60 db
- Lamp Type: SMD (12V/1W)
- Automatic temperature sensor **(90 size)**
- Automatic odor sensor **(90 size)**

- Magnetic door lock
- Ambient temperature display
- Airflow power: 700 m³/h
- Duct diameter : 150 mm

- Washable aluminum filter
- Gas Spring
- Wide input range power supply
- Remote control

DH1305-90



- Body color coating :
Electrostatic Coating
- Motor: 4 speed turbo motor
- Timer Equipped switch Panel
- Ambient temperature display
- Washable aluminum filter
- Magnetic door lock
- Wide input range power supply
- Airflow power: 700 m³/h
- Sound rating: 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter: 150 mm
- Remote control
- Gas Spring
- Control Type:
Digital touch screen

DH1306-90



- Body color coating :
Electrostatic Coating
- Motor: 4 speed turbo metal motor
- Ambient temperature display
- Magnetic door lock
- Automatic temperature sensor
- Washable aluminum filter
- Wide input range power supply
- Airflow power: 700 m³/h
- Sound rating: 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter: 120 mm
- Timer Equipped switch Panel
- Remote control
- Gas Spring
- Control Type:
Digital touch screen

DH1308-90



- Body color coating :
Electrostatic Coating
- Motor: 4 speed turbo motor
- Ambient temperature display
- Automatic temperature sensor
- Automatic odor sensor
- Washable aluminum filter
- Wide input range power supply
- Control panel safety lock equipped
- Airflow power: 700 m³/h
- sound rating: 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter: 150 mm
- Timer Equipped switch Panel
- Remote control
- Electric jack
- Control Type: Digital touch screen

DH1307-90



- Body color coating :
Electrostatic Coating
- Motor: 4 speed turbo metal motor
- Ambient temperature display
- Automatic temperature sensor
- Washable aluminum filter
- Timer Equipped switch Panel
- Magnetic door lock
- Wide input range power supply
- Airflow power: 700 m³/h
- Sound rating: 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter: 120 mm
- Remote control
- Gas Spring
- Control Type:
Digital touch screen

DH1313-90



- Body color coating :
Electrostatic Coating
- Motor: 4 speed turbo motor
- Washable aluminum filter
- Magnetic door lock
- Gas Spring
- Wide input range power supply

- Airflow power: 700 m³/h
- Sound rating: 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter: 150 mm
- Remote control
- Control Type:
Digital Mechanical

DH1320-90



- Body color coating :
Electrostatic Coating
- Motor: 4 speed turbo motor
- Control Type: Digital touch screen
- Ambient temperature display
- Washable aluminum filter
- Magnetic door lock
- Wide input range power supply

- Airflow power: 700 m³/h
- Sound rating: 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter: 150 mm
- Timer Equipped switch Panel
- Remote control
- Gas Spring

DH1316-90



- Body color coating :
Electrostatic Coating
- Motor: 6 speed metal motor
- Control Type: Digital touch screen

DH1316-80



- Airflow power: 420 m³/h
- Sound rating : 47-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter : 120 mm

DH1316-60



- Remote control
- Washable aluminum filter
- Wide input range power supply

DH1311-90



- Body color coating:
Electrostatic Coating
- Motor: 4 speed motor
- Control Type: Mechanical
- Airflow power: 420 m³/h
- Sound rating : 65 db
- Lamp Type: SMD (220V/1W)
- Duct diameter : 150 mm
- Gas Spring
- Magnetic door lock
- Washable aluminum filter
- Wide input range power supply

DH1314-90



- Body color coating :
Electrostatic Coating
- Motor: 6 speed metal motor
- Control Type:
Digital touch screen
- Washable aluminum filter
- Magnetic door lock
- Wide input range power supply
- Airflow power: 420 m³/h
- Sound rating: 64 db
- Lamp Type: SMD (12V/1W)
- Duct diameter: 120 mm
- Remote control
- Gas Spring

DH1318-90



- Body color coating :
Electrostatic Coating
- Motor: 4 speed turbo metal motor
- Control Type: Digital touch screen
- Magnetic door lock
- Washable aluminum filter
- Wide input range power supply
- Airflow power: 680 m³/h
- Sound rating: 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter: 120 mm
- Remote control
- Gas Spring

DH1315-90



- Body color coating: Electrostatic Coating
- Motor: 6 speed metal motor
- Control Type: Digital touch screen
- Airflow power: 420 m³/h
- Sound rating : 64 db
- Lamp Type: SMD (12V/1W)
- Duct diameter : 120 mm
- Gas Spring
- Remote control
- Magnetic door lock
- Washable aluminum filter
- Wide input range power supply

DH1312-90



- Body color coating: Electrostatic Coating
- Motor: 4 speed motor
- Control Type: Mechanical
- Airflow power: 420 m³/h
- Sound rating : 65 db
- Lamp Type: SMD (220V/1W)
- Duct diameter : 150 mm
- Gas Spring
- Magnetic door lock
- Washable aluminum filter
- Wide input range power supply


DH1319-90



- Body color coating: Electrostatic Coating
- Motor: 4 speed metal turbo motor
- Control Type: Digital touch screen
- Airflow power: 680 m³/h
- Sound rating : 55-60 db
- Lamp Type: SMD (12V/1W)
- Duct diameter : 120 mm
- Gas Spring
- Remote control
- Magnetic door lock
- Washable aluminum filter
- Wide input range power supply




DH1201-60-80-90



- Body color coating :
Electrostatic powder coated steel
- Motor: 4 speed motor
- Control Type: Mechanical
- Wide input range power supply
- Washable aluminum filter
- Airflow power: 420 m³/h
- Sound rating: 65 db
- Lamp Type: SMD (220V/1W)
- Duct diameter: 150 mm

DH1202-60-8-90



- Body color coating :
Electrostatic powder coated steel
- Motor: 4 speed turbo motor
- Control Type: Digital touch screen
- Automatic temperature sensor
- Automatic odor sensor
- Washable aluminum filter
- Wide input range power supply
- Airflow power: 700 m³/h
- Sound rating: 55-60 db
- Lamp Type: SMD (220V/1W)
- Duct diameter: 150 mm
- Timer Equipped switch Panel
- Remote control

Chimney range hood

DH1203-90



- Body color coating : Electrostatic Coating
- Motor: 4 speed motor
- Control Type: Digital touch screen
- Washable aluminum filter
- Airflow power: 420 m³/h
- Sound rating: 65 db
- Lamp Type: SMD (12V/1W)
- Duct diameter: 150 mm
- Timer Equipped switch Panel
- Remote control
- Ambient temperature display
- Wide input range power supply



Under-cabinet range hood

DH1101-60-80-90



- Body color coating :
Electrostatic Coating
- Motor: 4 Speed dual motor
- Control Type: Mechanical
- Airflow power: 420 m³/h
- Sound rating: 63 db
- Lamp Type: (220V/15W)
- Duct diameter: 100 mm
- Wide input range power supply
- Fiber filter





Gas Hob

Gas Hob



Glass top Gas Hob

DG 2107-5M



Size: 88x52 cm

DG 2108-5M



Size: 88x52 cm

DG 2109-5M



Size: 86/8x52 cm

DG 2105-3



Size: 58x50 cm

DG 2106-3



Size: 86x43 cm

- Fuel type: Natural gas
- Impact and heat resistance tested
- Featuring flameproof microswitch Equipped system

- Super fast thermocouple (top time)
- Featuring energy label
- Gas leak tested
- max heat resistance tested

- Electrical leak tested
- Automatic igniter
- 8 mm tempered impact and heat resistant glass

DG 2100-4



Size: 64x52 cm

DG 2100-5M



Size: 86/8x52 cm

DG 2100-5R



Size: 86/8x52 cm

DG 2102-5M



Size: 86/8x52 cm

DG 2102-5M



Size: 86/8x52 cm

DG 2102-5R



Size: 86/8x52 cm

- Fuel type: Natural gas
- Impact and heat resistance tested
- Featuring flameproof microswitch Equipped system

- Super fast thermocouple (top time)
- Featuring energy label
- Gas leak tested
- max heat resistance tested

- Electrical leak tested
- Automatic igniter
- 8 mm tempered impact and heat resistant glass

DG 2104-5M



Size: 86/8x52 cm

DG2104-4



Size: 64x52 cm

DG 2104-5R



Size: 86/8x52 cm

DG 2104-5M



Size: 86/8x52 cm

DG 2104-4



Size: 64x52 cm

- Fuel type: Natural gas
- Impact and heat resistance tested
- Featuring flameproof microswitch Equipped system

- Super fast thermocouple (top time)
- Featuring energy label
- Gas leak tested
- max heat resistance tested

- Electrical leak tested
- Automatic igniter
- 8 mm tempered impact and heat resistant glass

DG 2103-5M



Size: 86/8x52 cm

DG 2103-4



Size: 64x52 cm

DG2101-1



Size: 30x52 cm

DG 2103-5R



Size: 86/8x52 cm

DG 2103-5R



Size: 86/8x52 cm

DG 2101-2



Size: 30x52 cm

- Fuel type: Natural gas
- Impact and heat resistance tested
- Featuring flameproof microswitch Equipped system

- Super fast thermocouple (top time)
- Featuring energy label
- Gas leak tested
- max heat resistance tested


- Electrical leak tested
- Automatic igniter
- 8 mm tempered impact and heat resistant glass

DG 2110 - 5R



Size: 92x53 cm

DG 2110 - 5M



Size: 92x53 cm

DG 2110 - 4



Size: 64x52 cm

DG 2110 - 5R



Size: 92x53 cm

DG 2110 - 5M



Size: 92x53 cm

DG 2110 - 4



Size: 64x52 cm

- Fuel type: Natural gas
- Impact and heat resistance tested
- Featuring flameproof microswitch Equipped system

- Super fast thermocouple (top time)
- Featuring energy label
- Gas leak tested
- max heat resistance tested

- Electrical leak tested
- Automatic igniter
- 8 mm tempered impact and heat resistant glass

DG 2111-5M



Size: 92x53 cm

DG 2111-5M



Size: 92x53 cm

DG 2112- 5M



Size: 92x53 cm

DG 2112- 5M



Size: 92x53 cm

- Fuel type: Natural gas
- Impact and heat resistance tested
- Super fast thermocouple (top time)
- Featuring energy label
- Featuring flameproof microswitch Equipped system

- Gas leak tested
- max heat resistance tested
- Electrical leak tested
- 8 mm tempered impact and heat resistant glass
- 4-Stage (dual) type wok burner(DG 2112)
- Automatic igniter



DG 2200-5M



Size: 86/6x52 cm

DG 2200-5R



Size: 86/6x52 cm

DG 2200-4



Size: 64x52 cm

DG 2201-5R



Size: 89/1x51 cm

DG 2201-5M



Size: 89/1x51 cm

DG 2204-5M



Size: 86x50/1 cm

- Fuel type: Natural gas
- Automatic igniter
- Featuring flameproof microswitch Equipped system

- Super fast thermocouple (top time)
- Featuring energy label
- 4-Stage (dual) type wok burner (DG 2201)

- Gas leak tested
- Electrical leak tested

DG 2209-5M



Size: 89/1x53 cm

DG 2209-5R



Size: 89/1x53 cm

DG 2206-5R



Size: 86x50 cm

DG 2208-5M



Size: 86x50 cm

DG 2208-5R



Size: 86x50 cm

DG 2207-5M



Size: 86x50 cm

- Fuel type: Natural gas
- Automatic igniter
- Featuring flameproof microswitch Equipped system

- Super fast thermocouple (top time)
- Featuring energy label

- Gas leak tested
- Electrical leak tested

DG 2202-5R



Size: 86/2x50/2 cm

DG 2202-5M



Size: 86/2x50/2 cm

DG 2203-5M



Size: 89/1x51 cm

DG 2202-4



Size: 59/8x50/2 cm

DG 2202-2



Size: 32x51 cm

DG 2203-5R



Size: 89/1x51 cm

- Fuel type: Natural gas
- Automatic igniter
- Featuring flameproof microswitch Equipped system

- Super fast thermocouple (top time)
- Featuring energy label

- Gas leak tested
- Electrical leak tested

Stainless Steel Gas Hob

DG 2205-3



Size: 70x30 cm

DG 2210-5M



Size: 89/1x53 cm

- Fuel type: Natural gas
- Automatic igniter
- Featuring flameproof microswitch equipped system
- Electrical leak tested

- Super fast thermocouple (top time)
- Featuring energy label
- Gas leak tested



DG 2300-5R



Size: 86/6x52 cm

DG 2300-5M



Size: 86/6x52 cm

DG 2300-4



Size: 64x52 cm

DG 2301-5R



Size: 86/6x52 cm

DG 2301-5M



Size: 86/6x52 cm

- Fuel type: Natural gas
- Automatic igniter
- Impact and heat resistance tested
- Featuring flameproof microswitch Equipped system

- Super fast thermocouple (top time)
- Featuring energy label
- Gas leak tested
- max heat resistance tested

- Electrical leak tested
- 8 mm tempered impact and heat resistant glass

DG 2302-5M



Size: 86x50 cm

DG 2302-5R



Size: 86x50 cm

- Fuel type: Natural gas
- Automatic igniter
- Impact and heat resistance tested
- Super fast thermocouple (top time)
- Featuring energy label
- Featuring flameproof microswitch Equipped system

- Gas leak tested
- max heat resistance tested
- Electrical leak tested
- 8 mm tempered impact and heat resistant glass

Dorsa
the spark
that
powers
your
kitchen



DG 2400-5R



Size: 86/2x50/2 cm

DG 2400-5M



Size: 86/2x50/2 cm

DG 2400-4



Size: 59/8x50/2 cm

DG 2400-2



Size: 32x51 cm

- Fuel type: Natural gas
 - Automatic igniter
 - Featuring flameproof microswitch
- Equipped system
- Electrical leak tested

- Super fast thermocouple (top time)
- Featuring energy label
- Gas leak tested



Sink

Sink



DS 3100-100



Size: 100x50x20/5 cm

DS 3100-116



Size: 116x50x20/5 cm

DS 3106-100



Size: 100x50x20/5 cm

DS 3101-100



Size: 100x50x20/5 cm

DS 3101-120



Size: 120x50x20/5 cm

DS 3105-120



Size: 120x50x20/5 cm

• Material thickness: 0/7-0/8

• Sealing strip equipped PU

• Premium stainless steel material- 304 grade - glossy finish

The package includes a plastic basket, cutlery drip shelf and siphon.

Built-in sink

DS 3102-120



Size: 120x50x20/5 cm

DS 3103-120



Size: 120x50x20/5 cm

DS 3104-120



Size: 120x50x20/5 cm

DS 3107-120



Size: 120x50x20/5 cm

DS 3110-120



Size: 120x50x20/5 cm

DS 3113-116



Size: 116x50x21 cm

Material thickness: 0/7-0/8

The package includes a plastic basket, cutlery drip shelf and siphon.

• Sealing strip equipped PU

• Premium stainless steel material- 304 grade - glossy finish

DS 3108-120




Size: 120x50x20/5 cm

DS 3111-120



Size: 120x50x20/5 cm

DS 3114-116



Size: 116x50x21 cm

DS 3109-120



Size: 120x50x20/5 cm

DS 3112-116



Size: 116x50x21 cm

DS 3115-116



Size: 116x50x21 cm

• Material thickness:0/7-0/8

• Sealing strip equipped PU

• Premium stainless steel material- 304 grade - glossy finish

The package includes a plastic basket, cutlery drip shelf and siphon.




DS 3210-100



Size: 100x60x21 cm

DS 3210-120



Size: 120x60x21 cm

DS 3206-100



Size: 100x60x21 cm

DS 3201-100



Size: 100x60x21 cm

DS 3201-120



Size: 120x60x21 cm

DS 3205-120



Size: 120x60x21 cm

• Material thickness:0/7-0/8

• Premium stainless steel material- 304 grade - glossy finish

The package includes a plastic basket, cutlery drip shelf and siphon.

DS 3202-120



Size: 120x60x21 cm

DS 3203-120



Size: 120x60x21 cm

DS 3204-120



Size: 120x60x21 cm

DS 3207-120




Size: 120x60x21 cm

DS 3208-120



Size: 120x60x21 cm

DS 3209-120



Size: 120x60x21 cm

• Material thickness: 0/7-0/8

• Premium stainless steel material- 304 grade - glossy finish

The package includes a plastic basket, cutlery drip shelf and siphon.

DS 3211-120



Size: 120x60x21 cm

DS 3212-120



Size: 120x60x21 cm

DS 3213-120



Size: 120x60x21 cm

DS 3214-120



Size: 120x60x21 cm

DS 3215-120



Size: 120x60x21 cm

DS 3216-120



Size: 120x50x21 cm

• Material thickness:0/7-0/8

• Premium stainless steel material- 304 grade - glossy finish

The package includes a plastic basket, cutlery drip shelf and siphon.



Built-in sink

DS 3300-116




Size: 116x50x14 cm

DS 3303-120



Size: 120x50x14 cm
Right or left handed bowl

DS 3305-120




Size: 120x50x14 cm

DS 3317-120



Size: 120x51x17 cm
Right or left handed bowl

DS 3319-120



Size: 120x51x17 cm
Right or left handed bowl

• Material thickness:0/6-0/7

• Sealing strip equipped PU

• Premium stainless steel material- 304 grade - glossy finish

The package includes a plastic basket, cutlery drip shelf and siphon.

DS 3318-60




Size: 60x50x16 cm

DS 3318-80



Size: 80x50x16 cm

DS 3318-120



Size: 120x51x17 cm

• Material thickness: 0/6-0/7

The package includes a plastic basket, cutlery drip shelf and siphon.

• Sealing strip equipped PU

• Premium stainless steel material- 304 grade - glossy finish




DS 3405-120




Size: 120x60x15 cm

DS 3410-120



Size: 120x60x15 cm

DS 3418-120



Size: 120x60x17 cm

• Material thickness: 0/7

• Siphon equipped

• Premium stainless steel material- 304 grade - glossy finish

The package includes a plastic basket, cutlery drip shelf and siphon. (For DS3418 - 120)

Built-in glass sink

DS 3500-120



Size: 120x55x20 cm
stainless Steel soap dispenser equipped

EXPERIENCE
EASY, SWIFT,
AND PRECISE
COOKING WITH
US





DS 3600-120



White marble tone
Size: 120x50x19 cm

DS 3600-120



Silver marble white tone
Size: 120x50x19 cm

DS 3600-120



Glittering black tone
Size: 120x50x19 cm

DS 3600-120



Black marble tone
Size: 120x50x19 cm

DS 3600-120



Glittering cream tone
Size: 120x50x19 cm

- Antibacterial
- Scratch resistant
- Easily cleaned

- Heat resistant
- Automatic siphon equipped
- Odorless

- Stain-resistant (food, tea, coffee, etc. stains)
non stick surface, easily cleanable

DS 3601-120



Simple white tone
Size: 120x50x19 cm

DS 3601-120



White marble tone
Size: 120x50x19 cm

DS 3601-120



Black marble tone
Size: 120x50x19 cm

DS 3601-120



Simple black tone
Size: 120x50x19 cm

- Antibacterial
- Scratch resistant
- Easily cleaned

- Heat resistant
- Automatic siphon equipped
- Odorless

- Stain-resistant (food, tea, coffee, etc. stains)
non stick surface, easily cleanable



Overlaid on the house silhouette is the word "Overlaid" in a large, bold, light blue sans-serif font. Overlaid on the word "Overlaid" is the word "Overlaid" in a smaller, blue, outlined sans-serif font. A thin blue horizontal line is positioned below the text.



DF 4105-65



- Ceramic fiber protected thermal insulation
- Tinted Middle glass
- Multi shelf
- Hot air circulation fan
- Suitable for making tarts and sweets

- Full digital touchscreen switch
- Two baking trays
- Featuring steak rack
- Telescopic rail
- Child safety lock
- Glazed coating and easy clean up

- 8 cooking plans
- Baking sensor
- Defrost system
- Wide input range power supply
- 3-layer shatterproof door glass
- OTG grill with directional grill function

- 4 elements
- Soft closure system
- Cooling fan
- Glass design - glass over steel design
- 65 liter capacity
- Dimensions 60X60
- Oven mitt and apron

DF 4103-65



- Ceramic fiber protected thermal insulation
- OTG grill with directional grill function
- Multi shelf
- Hot air circulation fan
- Wide input range power supply
- Glass design
- Dimensions 60X60
- Oven mitt and apron
- Defrost system
- 4 elements
- Glazed coating and easy clean up
- 3-layer shatterproof door glass
- Full digital touchscreen switch
- Two baking trays
- Featuring steak rack
- Quick heating system
- 12 cooking plans
- Cooling fan
- Child safety lock
- Baking sensor
- 65 liter capacity
- Suitable for making tarts and sweets



DF 4101-65



- Ceramic fiber protected thermal insulation
- OTG grill with directional grill function
- Suitable for making tarts and sweets
- Defrost system
- Glazed coating and easy clean up
- Hot air circulation fan
- Wide input range power supply
- 3-layer shatterproof door glass
- Multi function cooking plan
- Telescopic rail
- Preheating up to 150°C in 5 minutes
- Full digital touchscreen switch
- Two baking trays
- Featuring steak rack
- Quick heating system
- 12 cooking plans
- Cooling fan
- Child safety lock
- 65 liter capacity
- Soft closure system
- Glass design - glass over steel design
- Dimensions 60X60
- Oven mitt and apron
- 4 elements
- Multi shelf



DF 4102-65



- Ceramic fiber protected thermal insulation
- OTG grill with directional grill function
- Suitable for making tarts and sweets
- Defrost system
- Glass design
- Hot air circulation fan
- wide input range power supply
- 3-layer shatterproof door glass
- Full digital touchscreen switch
- Two baking trays
- 4 elements
- Featuring steak rack
- Quick heating system
- 12 cooking plans
- Cooling fan
- Child safety lock
- Baking sensor
- Multi shelf
- 65 liter capacity
- Dimensions 60X60
- Oven mitt and apron
- Soft closure system
- Glazed coating and easy clean up



DF 4104-65



- Ceramic fiber protected thermal insulation
- OTG grill with directional grill function
- Suitable for making tarts and sweets
- Defrost system
- Glass design
- Hot air circulation fan
- wide input range power supply
- 3-layer shatterproof door glass
- Full digital touchscreen switch
- Two baking trays
- 4 elements
- Featuring steak rack
- Quick heating system
- 12 cooking plans
- Cooling fan
- Child safety lock
- Baking sensor
- Multi shelf
- 65 liter capacity
- Dimensions 60X60
- Oven mitt and apron
- Soft closure system
- Glazed coating and easy clean up



DF 4110-60



- Mechanical baking function selector
- Mechanical oven temperature selector from 50°C to 250°C
- Dimmer type bake time controller
- Mechanical lighting switch
- Glazed coating and easy clean up
- 3-layer shatterproof door glass
- Glass design
- Cooling fan
- 60 liters capacity
- Dimensions 60X60

**Experience
easy, swift, and
precise cooking
with us**



دورس
دورس

دورس

D
O
R
S
T
A

هون

سینک

اجاق

فر

فن



Tell : +9821-43326



Info@dorsa-group.com



www.dorsa-group.com



@DorsaHome_Appliances



dorsahome_Appliances

